

CORRECTION TO THE AUSTRALIAN DANGEROUS GOOD CODE - EDITION 7.4

1 December 2016

A correction has been made to Table 5.2 in the Australian Dangerous Goods Code - Edition 7.4

The change is marked up below:

Table 5.2 Minimum Dimensions of Labels			
Class or Article	Package, Packaging or Article	Minimum dimensions of labels (mm)	Recommended minimum size of lettering ^a [see 5.2.1.2(d)] (mm)
Class 2 (other than Aerosols)	Cylinder of outside diameter: < 75 mm	10 x 10	2.5
	≥ 75 mm < 180 mm	15 x 15	3
	≥ 180 mm	25 x 25	5
	Pressure drum or tube ≤ 500 L ^c	100 x 100	7
Class 2 (Aerosols) ^b	Aerosol can containing: ≤ 25 g	10 x 10	2
	> 25 g ≤ 0.5 kg	15 x 15	2.5
	> 0.5 kg	20 x 20	3
BATTERIES, WET, FILLED WITH ACID, electric storage (UN 2794)	Battery with a gross mass of 65kg or less, but top surface only	20 x 20	3
All others	Package or inner packaging containing: ≤ 0.5 kg(L)	15 x 15	2.5
	> 0.5 kg(L) ≤ 5 kg(L)	20 x 20	3
	> 5 kg(L) ≤ 25 kg(L)	50 x 50	5
	> 25 kg(L)	100 x 100	7
	IBC ≤ 500 kg(L) ^c	100 x 100	7
	Large packaging, overpack, segregation device	100 x 100	12
Table notes:			
<p>a Where the space available on the package for labelling is limited and the Proper Shipping Name of the dangerous goods must be supplemented by a Technical Name (where special provision 274 is assigned to the particular entry in the Dangerous Goods List – see 3.1.2.8), the minimum height of the letters of the Technical Name or names may be reduced to not less than half the size stated in this table or 1.5 mm, whichever is the greater.</p> <p>b Under Special Provision 190, some small aerosols are not subject to this Code (see Chapter 3.3).</p> <p>c IBCs, pressure drums and tubes of capacity > 500 kg(L) are placardable units that must be placarded with emergency information panels in accordance with 5.3.3</p>			